



How can we better co-ordinate the next phase of the evidence & in health response to COVID?

-19

27 A 2020

Jeremy Grimshaw, MBChB PhD, Co-Lead, COVID-END;
Senior Scientist, OHRI; and Professor, University Of Ottawa

John N. Lavis, MD PhD, Co-Lead, COVID-END;
Director, McMaster Health Forum; and Professor, McMaster University

David Tovey, MBChB FRCGP, Senior Advisor, COVID-END



I



(1)

S
L

2

2

2

2


(2

) 2

1



(2)





(3)

(H 2 2 2 2 2 2)

L 2 10%

2

W 2 2 2 191
13% AMSTAR
47% AMSTAR
40% AMSTAR

AMSTAR 1:



(4)

C		2	:		
C	2	2	2		75%
P		2			48%
H	2				20%
E		2	2		2%



(5)

D 2

1 (L) NCOMP C2 BEP 2 ((W P (2





N



T

:

A



,

-

(80%)

(



,



,



)



(



)

E

(



L



S

S

E



B



COVID-END

C

COVID

D

-

C

M

M

L

R

P

P



L

(1)

L

18-24

,





L

(3)

R

:

2

2

2

2

2

2

2

2

2

2

2

(

2

2

2

2

2

2

)



O

R 2
P 2 2 2 (PRISMA-P 2)
P 2 2 2 (PRISMA 2) 2 (2 DOI)
S 2 2 2
E 2 - (2 2 2) ()



G



M



P



:

L



LMIC

L



LMIC

L



LMIC

F



LMIC





F

-



W





S



T

COVID

O

1 / 0 1 / 23 -

(, , - - ,

2!5167- -

(, - ,

-)

R

- (WHO)